




NCNT

Miniature type Ball Screw



Unit : mm

Model No.		Ball Screws Dimensions											
		Cycle	d	I	Da	L	H1	H2		Ca	Coa		Memo
0601	NCNT	B	6	1	0.8	13	11	13	-	113	224	-	●
0601	NCNT	B	6	1	1.2	24	18	22	-	113	224	-	●
0801	NCNT	B	6	1	0.8	22	15	13	-	161	403	-	●
0802	NCNT	B	8	2	0.8	22	15	13	-	222	458	-	●
0806	NCNT	B	8	5	1.2	28	13	15	-	253	478	-	●
1005	NCNT	B	10	5	1.2	22	24	18.5	-	232	436	-	-
1505	NCNT	S	15	5	2.778	38	27	31	-	1112	2507	-	●
1510	NCNT	S	15	10	2.778	47	27	31	-	839	1821	-	●
1520	NCNT	S	15	20	2.778	58	27	31	-	554	1170	-	●
1605	NCNT	I	16	5	3.175	50	36	40	-	1112	2507	-	●
2005	NCNT	I	20	5	3.175	53	48	34	-	1484	3681	-	●
2505	NCNT	I	25	5	3.175	57	38	60	-	1650	4658	-	●
2506	NCNT	B	25	6	3.969	50	38	49.8	-	1853	4177	-	-

I : Lead Da : Ball Dia.

Ca : Basic Dynamic Rating Load (Kgf)

Coa : Basic Static Rating Load (Kgf)

Mark ● Precision Transformation Grade Ballscrew

XIANG LONG TECHNOLOGY CO.,LTD.

TEL:+886-4-2532 8118 FAX:+886-4-2534 3753

No. 39, Ln. 63, Fengli Rd., Tanzi Dist., Taichung City, 42754 Taiwan.